

Tapping Tees

TEGA IPS/CTS/DIPS SERIES SDR11

Molded Electrofusion Tapping Tee

Water - 240 PSI at 73 Deg F Sustainable Maximum Operating Pressure

Gas - 150 PSI at 73 Deg F Sustainable Maximum Operating Pressure

Suitable for Water, Fluids & Slurry's


Engineered for PE3408, PE4710 & PE100 HDPE Pipe Systems

Manufactured in accordance with ASTM F-714, ASTM F-1055, ASTM D-2513

ASTM D-3035, ASTM D-3261, ASTM D-3350, AWWA C-901, AWWA C-906

DIN16963, EN1555, EN12201, ISO-9001/2000

Also suitable for use on IPS SDR13.5, SDR15.5, SDR17 Series HDPE pipe



IPS x CTS Tapping Tee

Nom Main Size (D/2)	Main Pipe	Outlet Nom Size (d)	Outlet Pipe	H (inches)	H1 (inches)	L (inches)	Unit Weight in lbs	Qty Ctn	Tap Tee Style	Item Code
1 1/4"	IPS	1/2"	CTS	TBA	TBA	TBA	TBA	TBA	TBA	TBA
1 1/4"	IPS	3/4"	CTS	4.92	1.93	1.73	0.64	25	B	30.SE1.13.11.4222
1 1/4"	IPS	1"	CTS	4.92	1.93	1.73	0.71	25	B	30.SE1.13.11.4228
1 1/4"	IPS	1 1/4"	CTS	4.92	1.93	1.85	0.71	25	B	30.SE1.13.11.4234

1 1/2"	IPS	1/2"	CTS	TBA	TBA	TBA	TBA	TBA	TBA	TBA
1 1/2"	IPS	3/4"	CTS	5.51	2.48	2.05	1.23	15	A	30.SE1.13.11.4822
1 1/2"	IPS	1"	CTS	5.51	2.48	2.13	1.3	15	A	30.SE1.13.11.4828
1 1/2"	IPS	1 1/4"	CTS	5.51	2.48	3.35	1.3	15	A	30.SE1.13.11.4834
2"	IPS	1/2"	CTS	TBA	TBA	TBA	TBA	TBA	TBA	TBA
2"	IPS	3/4"	CTS	5.51	2.48	2.05	1.23	15	A	30.SE1.13.11.6022
2"	IPS	1"	CTS	5.51	2.48	2.13	1.3	15	A	30.SE1.13.11.6028
2"	IPS	1 1/4"	CTS	5.51	2.48	3.35	1.3	15	A	30.SE1.13.11.6034
3"	IPS	1/2"	CTS	TBA	TBA	TBA	TBA	TBA	TBA	TBA
3"	IPS	3/4"	CTS	6.77	3.03	1.85	2.16	15	A	30.SE1.13.11.8822
3"	IPS	1"	CTS	6.77	3.03	2.05	2.18	15	A	30.SE1.13.11.8828
3"	IPS	1 1/4"	CTS	6.77	3.03	2.52	2.2	15	A	30.SE1.13.11.8834

IPS x CTS Tapping Tee

Nom Main Size (D/2)	Main Pipe	Outlet Nom Size (d)	Outlet Pipe	H (inches)	H1 (inches)	L (inches)	Unit Weight in lbs	Qty Ctn	Tap Tee Style	Item Code
4"	IPS	1/2"	CTS	TBA	TBA	TBA	TBA	TBA	TBA	TBA
4"	IPS	3/4"	CTS	7.09	3.27	1.89	2.27	15	A	30.SE1.13.11.1122
4"	IPS	1"	CTS	7.09	3.27	2.17	2.29	15	A	30.SE1.13.11.1128
4"	IPS	1 1/4"	CTS	7.09	3.27	2.68	2.36	15	A	30.SE1.13.11.1134
5"	IPS	1/2"	CTS	TBA	TBA	TBA	TBA	TBA	TBA	TBA
5"	IPS	3/4"	CTS	8.19	4.21	2.01	2.91	10	A	30.SE1.13.11.1322
5"	IPS	1"	CTS	8.19	4.21	1.89	2.83	10	A	30.SE1.13.11.1328
5"	IPS	1 1/4"	CTS	8.19	4.21	3.27	2.82	10	A	30.SE1.13.11.1334
6"	IPS	1/2"	CTS	TBA	TBA	TBA	TBA	TBA	TBA	TBA
6"	IPS	3/4"	CTS	8.19	4.21	2.01	2.91	10	A	30.SE1.13.11.1622
6"	IPS	1"	CTS	8.19	4.21	1.89	2.83	10	A	30.SE1.13.11.1628
6"	IPS	1 1/4"	CTS	8.19	4.21	3.27	2.82	10	A	30.SE1.13.11.1634
7"	IPS	1/2"	CTS	TBA	TBA	TBA	TBA	TBA	TBA	TBA
7"	IPS	3/4"	CTS	8.19	4.21	2.01	2.91	10	A	30.SE1.13.11.1822
7"	IPS	1"	CTS	8.19	4.21	1.89	2.69	10	A	30.SE1.13.11.1828
7"	IPS	1 1/4"	CTS	8.19	4.21	3.27	2.65	10	A	30.SE1.13.11.1834
8"	IPS	1/2"	CTS	TBA	TBA	TBA	TBA	TBA	TBA	TBA
8"	IPS	3/4"	CTS	7.68	3.74	2.01	2.91	10	A	30.SE1.13.11.2122
8"	IPS	1"	CTS	7.68	3.74	1.89	2.69	10	A	30.SE1.13.11.2128
8"	IPS	1 1/4"	CTS	7.68	3.74	3.27	2.65	10	A	30.SE1.13.11.2134

IPS x IPS Tapping Tee

Nom Main	Main Pipe	Outlet Nom	Outlet Pipe	H (inches)	H1 (inches)	L (inches)	Unit Weight	Qty Ctn	Tap Tee	Item Code
1 1/4"	IPS	1/2"	IPS	4.92	1.93	1.73	0.64	25	B	30.SE1.11.11.4221
1 1/4"	IPS	3/4"	IPS	4.92	1.93	1.73	0.68	25	B	30.SE1.11.11.4226
1 1/4"	IPS	1"	IPS	4.92	1.93	1.85	0.71	25	B	30.SE1.11.11.4233
1 1/4"	IPS	1 1/4"	IPS	TBA	TBA	TBA	TBA	25	TBA	TBA
1 1/2"	IPS	1/2"	IPS	5.51	2.48	2.05	1.23	15	A	30.SE1.11.11.4821
1 1/2"	IPS	3/4"	IPS	5.51	2.48	2.13	1.27	15	A	30.SE1.11.11.4826
1 1/2"	IPS	1"	IPS	5.51	2.48	3.35	1.3	15	A	30.SE1.11.11.4833
1 1/2"	IPS	1 1/4"	IPS	5.51	2.48	3.54	1.3	15	A	30.SE1.11.11.4842
1 1/2"	IPS	1 1/2"	IPS	TBA	TBA	TBA	TBA	TBA	TBA	TBA
2"	IPS	1/2"	IPS	5.51	2.48	2.05	1.23	15	A	30.SE1.11.11.6021

2"	IPS	3/4"	IPS	5.51	2.48	2.13	1.27	15	A	30.SE1.11.11.6026
2"	IPS	1"	IPS	5.51	2.48	3.35	1.3	15	A	30.SE1.11.11.6033
2"	IPS	1 1/4"	IPS	5.51	2.48	3.54	1.3	15	A	30.SE1.11.11.6042
2"	IPS	1 1/2"	IPS	8.66	4.25	4.17	2.43	10	B	30.SE1.11.11.6048
2"	IPS	2"	IPS	8.66	4.25	4.17	2.65	10	B	30.SE1.11.11.6060
3"	IPS	1/2"	IPS	6.77	3.03	1.85	2.16	15	A	30.SE1.11.11.8821
3"	IPS	3/4"	IPS	6.77	3.03	2.05	2.18	15	A	30.SE1.11.11.8826
3"	IPS	1"	IPS	6.77	3.03	2.52	2.2	15	A	30.SE1.11.11.8833
3"	IPS	1 1/4"	IPS	6.77	3.03	3.5	2.23	15	A	30.SE1.11.11.8842
3"	IPS	1 1/2"	IPS	9.84	4.72	3.94	3.2	10	A	30.SE1.11.11.8848
3"	IPS	2"	IPS	9.84	4.72	4.33	3.28	10	A	30.SE1.11.11.8860
4"	IPS	1/2"	IPS	7.09	3.27	1.89	2.27	15	A	30.SE1.11.11.1121
4"	IPS	3/4"	IPS	7.09	3.27	2.17	2.29	15	A	30.SE1.11.11.1126
4"	IPS	1"	IPS	7.09	3.27	2.68	2.36	15	A	30.SE1.11.11.1133
4"	IPS	1 1/4"	IPS	7.09	3.27	2.76	2.38	15	A	30.SE1.11.11.1142
4"	IPS	1 1/2"	IPS	9.13	4.41	2.95	3.31	10	A	30.SE1.11.11.1148
4"	IPS	2"	IPS	9.13	4.41	2.95	3.31	10	A	30.SE1.11.11.1160
5"	IPS	1/2"	IPS	8.19	4.21	2.01	2.91	10	A	30.SE1.11.11.1321
5"	IPS	3/4"	IPS	8.19	4.21	1.89	2.83	10	A	30.SE1.11.11.1326
5"	IPS	1"	IPS	8.19	4.21	3.27	2.82	10	A	30.SE1.11.11.1333
5"	IPS	1 1/4"	IPS	8.19	4.21	3.5	2.89	10	A	30.SE1.11.11.1342
5"	IPS	1 1/2"	IPS	9.84	4.72	4.06	3.82	8	A	30.SE1.11.11.1348
5"	IPS	2"	IPS	9.84	4.72	4.33	4.01	8	A	30.SE1.11.11.1360

IPS x IPS Tapping Tee

Nom Main Size (D/2)	Main Pipe	Outlet Nom Size (d)	Outlet Pipe	H (inches)	H1 (inches)	L (inches)	Unit Weight in lbs	Qty\ Ctn	Tap Tee Style	Item Code
6"	IPS	1/2"	IPS	8.19	4.21	2.01	2.91	10	A	30.SE1.11.11.1621
6"	IPS	3/4"	IPS	8.19	4.21	1.89	2.83	10	A	30.SE1.11.11.1626
6"	IPS	1"	IPS	8.19	4.21	3.27	2.82	10	A	30.SE1.11.11.1633
6"	IPS	1 1/4"	IPS	8.19	4.21	3.5	2.89	10	A	30.SE1.11.11.1642
6"	IPS	1 1/2"	IPS	9.84	4.72	4.06	3.82	8	A	30.SE1.11.11.1648
6"	IPS	2"	IPS	9.84	4.72	4.33	4.01	8	A	30.SE1.11.11.1660
7"	IPS	1/2"	IPS	8.19	4.21	2.01	2.91	10	A	30.SE1.11.11.1821
7"	IPS	3/4"	IPS	8.19	4.21	1.89	2.69	10	A	30.SE1.11.11.1826
7"	IPS	1"	IPS	8.19	4.21	3.27	2.65	10	A	30.SE1.11.11.1833
7"	IPS	1 1/4"	IPS	8.19	4.21	3.5	2.65	10	A	30.SE1.11.11.1842
7"	IPS	1 1/2"	IPS	9.45	4.53	3.39	3.57	8	A	30.SE1.11.11.1848
7"	IPS	2"	IPS	9.45	4.53	3.39	3.79	8	A	30.SE1.11.11.1860
8"	IPS	1/2"	IPS	7.68	3.74	2.01	2.91	10	A	30.SE1.11.11.2121
8"	IPS	3/4"	IPS	7.68	3.74	1.89	2.69	10	A	30.SE1.11.11.2126
8"	IPS	1"	IPS	7.68	3.74	3.27	2.65	10	A	30.SE1.11.11.2133
8"	IPS	1 1/4"	IPS	7.68	3.74	3.5	2.65	10	A	30.SE1.11.11.2142
8"	IPS	1 1/2"	IPS	9.06	4.33	3.39	3.57	8	A	30.SE1.11.11.2148
8"	IPS	2"	IPS	9.06	4.33	4.45	3.79	8	A	30.SE1.11.11.2160

DIPS x CTS Tapping Tee

Nom Main Size (D/2)	Main Pipe	Outlet Nom Size (d)	Outlet Pipe	H (inches)	H1 (inches)	L (inches)	Unit Weight n lbs	QtyCtn	Tap Tee Style	Item Code
3"	DIPS	1/2"	CTS	TBA	TBA	TBA	TBA	TBA	TBA	TBA
3"	DIPS	3/4"	CTS	7.09	3.27	1.89	2.27	15	A	30.SE1.23.11.1022
3"	DIPS	1"	CTS	7.09	3.27	2.17	2.29	15	A	30.SE1.23.11.1028
3"	DIPS	1 1/4"	CTS	7.09	3.27	2.68	2.36	15	A	30.SE1.23.11.1034
4"	DIPS	1/2"	CTS	TBA	TBA	TBA	TBA	TBA	TBA	TBA
4"	DIPS	3/4"	CTS	7.09	3.27	1.89	2.27	15	A	30.SE1.23.11.1222
4"	DIPS	1"	CTS	7.09	3.27	2.17	2.29	15	A	30.SE1.23.11.1228
4"	DIPS	1 1/4"	CTS	7.09	3.27	2.68	2.36	15	A	30.SE1.23.11.1234
6"	DIPS	1/2"	CTS	TBA	TBA	TBA	TBA	TBA	TBA	TBA
6"	DIPS	3/4"	CTS	8.19	4.21	2.01	2.91	10	A	30.SE1.23.11.1722
6"	DIPS	1"	CTS	8.19	4.21	1.89	2.69	10	A	30.SE1.23.11.1728
6"	DIPS	1 1/4"	CTS	8.19	4.21	3.27	2.65	10	A	30.SE1.23.11.1734
8"	DIPS	1/2"	CTS	TBA	TBA	TBA	TBA	TBA	TBA	TBA
8"	DIPS	3/4"	CTS	7.68	3.74	2.01	2.91	10	A	30.SE1.23.11.2222
8"	DIPS	1"	CTS	7.68	3.74	1.89	2.69	10	A	30.SE1.23.11.2228
8"	DIPS	1 1/4"	CTS	7.68	3.74	3.27	2.65	10	A	30.SE1.23.11.2234

DIPS x IPS Tapping Tee

Nom Main Size (D/2)	Main Pipe	Outlet Nom Size (d)	Outlet Pipe	H (inches)	H1 (inches)	L (inches)	Unit Weight in lbs	Qty Ctn	Tap Tee Style	Item Code
3"	DIPS	1/2"	IPS	7.09	3.27	1.89	2.27	15	A	30.SE1.21.11.1021
3"	DIPS	3/4"	IPS	7.09	3.27	2.17	2.29	15	A	30.SE1.21.11.1026
3"	DIPS	1"	IPS	7.09	3.27	2.68	2.36	15	A	30.SE1.21.11.1033
3"	DIPS	1 1/4"	IPS	7.09	3.27	2.76	2.38	15	A	30.SE1.21.11.1042
3"	DIPS	1 1/2"	IPS	9.13	4.41	2.95	3.31	10	A	30.SE1.21.11.1048
3"	DIPS	2"	IPS	9.13	4.41	2.95	3.31	10	A	30.SE1.21.11.1060
4"	DIPS	1/2"	IPS	7.09	3.27	1.89	2.27	15	A	30.SE1.21.11.1221
4"	DIPS	3/4"	IPS	7.09	3.27	2.17	2.29	15	A	30.SE1.21.11.1226
4"	DIPS	1"	IPS	7.09	3.27	2.68	2.36	15	A	30.SE1.21.11.1233
4"	DIPS	1 1/4"	IPS	7.09	3.27	2.76	2.37	15	A	30.SE1.21.11.1242
4"	DIPS	1 1/2"	IPS	9.13	4.41	2.95	3.31	10	A	30.SE1.21.11.1248
4"	DIPS	2"	IPS	9.13	4.41	2.95	3.31	10	A	30.SE1.21.11.1260
6"	DIPS	1/2"	IPS	8.19	4.21	2.01	2.91	10	A	30.SE1.21.11.1721
6"	DIPS	3/4"	IPS	8.19	4.21	1.89	2.69	10	A	30.SE1.21.11.1726
6"	DIPS	1"	IPS	8.19	4.21	3.27	2.65	10	A	30.SE1.21.11.1733
6"	DIPS	1 1/4"	IPS	8.19	4.21	3.5	2.65	10	A	30.SE1.21.11.1742
6"	DIPS	1 1/2"	IPS	9.45	4.53	3.39	3.57	8	A	30.SE1.21.11.1748
6"	DIPS	2"	IPS	9.45	4.53	3.39	3.79	8	A	30.SE1.21.11.1760
8"	DIPS	1/2"	IPS	7.68	3.74	2.01	2.91	10	A	30.SE1.21.11.2221
8"	DIPS	3/4"	IPS	7.68	3.74	1.89	2.69	10	A	30.SE1.21.11.2226
8"	DIPS	1"	IPS	7.68	3.74	3.27	2.65	10	A	30.SE1.21.11.2233
8"	DIPS	1 1/4"	IPS	7.68	3.74	3.5	2.65	10	A	30.SE1.21.11.2242
8"	DIPS	1 1/2"	IPS	9.06	4.33	3.39	3.57	8	A	30.SE1.21.11.2248
8"	DIPS	2"	IPS	9.06	4.33	4.45	3.79	8	A	30.SE1.21.11.2260

STRONGBRIDGE INTERNATIONAL INC.

10920 Baymeadows Road, Unit 27-302

Jacksonville, FL 32256

Phone: (904) 607-6384 Fax:(904) 565-2776

www.strongbridge.us

STRONGBRIDGE INTERNATIONAL (CANADA) INC.

200 North Service Road West, Unit 1 Suite 381

Oakville, Ontario L6M 2Y1

Phone (416) 795-8962

www.strongbridgecanada.com

TEGA ELECTROFUSION FITTINGS MAY ONLY BE INSTALLED BY TECHICIANS CERTIFIED BY STRONGBRIDGE INTERNATIONAL INC. OR ITS DESIGNATED AND APPROVED AGENTS. CONTACT STRONGBRIDGE INTERNATIONAL FOR CURRENT CERTIFICATION DETAILS AND REQUIREMENTS.

Copyright 2009 Strongbridge International Inc. All rights reserved. Information subject to change without notice. E. & O.E.
Subject to Strongbridge International Inc. Limited Warranty, available at www.strongbridge.us

09/09